


2

1



ITEM NO.	PART NUMBER	QTY.
1	TE-19118-01	1
2	TE-19118-02	3
3	TE-19118-03	3
4	TE-19118-04	1
5	TE-19118-05	1
6	TE-19118-06	4
7	TE-19118-07	6
8	TE-19118-08	6

Material	QTY
23/32" (3/4") A/C or CDX Plywood	.75 sheet
2"x4"x8'	.125
1/8" Hardboard	.125
1" Hook Fastener	24"
1" Loop Fastener	24"
2.5" screws	16



Note:
Double and mirror for half field

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **FIRST®**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **FIRST®** IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	 			
		DIMENSIONS ARE IN INCHES	DRAWN						
		TOLERANCES:	CHECKED						
		FRACTIONAL $\pm 1/16$	ENG APPR.						
		ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$	MFG APPR.						
		TWO PLACE DECIMAL $\pm .01$	Q.A.			TITLE: <h1>Hab Ivl 2</h1>			
		THREE PLACE DECIMAL $\pm .001$	COMMENTS:						
		INTERPRET GEOMETRIC TOLERANCING PER:							
		MATERIAL				SIZE	DWG. NO.	REV	
NEXT ASSY	USED ON	FINISH				A	TE-19118		
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:16		WEIGHT:	SHEET 1 OF 5


2

1


2

1

Step 1:



Step 2:



Note:

- Attach 6 to 1 at locations shown.
- Pre drill and use 1.25" screws to attach.

Note

- Arrange 2 and 3 as shown. Grooves in the parts will intersect with one another.

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **FIRST®**. Any REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **FIRST®** IS PROHIBITED.

NEXT ASSY

USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/16$
ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$
TWO PLACE DECIMAL $\pm .01$
THREE PLACE DECIMAL $\pm .001$

INTERPRET GEOMETRIC
TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

NAME DATE

DRAWN

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:



FIRST
ROBOTICS
COMPETITION



TITLE:

Hab lvl 2

SIZE

A

DWG. NO.

TE-19118

REV

SCALE: 1:16 WEIGHT:

SHEET 2 OF 5


2

1


2

1

Step 3:



Step 4:



Note:

- Place subassembly from Step 1 onto the plywood frame from Step 2. Pre-drill and secure with 2.5" screws.
- Attach (7)x6 to the edge of (3) and (2) on two sides only
- Apply (8)x6 to (7), and remove the backing.

Note:

- Press (5) and (4) to (8) Flush to floor and edges.
- Press firmly to ensure loop adhesion to hardboard.

A

A

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **FIRST®**. Any REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **FIRST®** IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:
		DIMENSIONS ARE IN INCHES
		TOLERANCES:
		FRACTIONAL $\pm 1/16$
		ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$
		TWO PLACE DECIMAL $\pm .01$
		THREE PLACE DECIMAL $\pm .001$
		INTERPRET GEOMETRIC TOLERANCING PER:
		MATERIAL
		FINISH
NEXT ASSY	USED ON	
APPLICATION		DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		



FIRST
ROBOTICS
COMPETITION

SOLIDWORKS
Modeling Solutions Partner

TITLE:

Hab lvl 2


SIZE	DWG. NO.	REV
A	TE-19118	
SCALE: 1:16	WEIGHT:	SHEET 3 OF 5

2

1

B

TE-19118-01



Note:
23/32" (3/4") A/C or CDX Plywood

A

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **FIRST®**. Any REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **FIRST®** IS PROHIBITED.

NEXT ASSY

USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/16$
ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$
TWO PLACE DECIMAL $\pm .01$
THREE PLACE DECIMAL $\pm .001$

INTERPRET GEOMETRIC
TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

DRAWN

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:

NAME

DATE

TITLE:



**FIRST
ROBOTICS
COMPETITION**



SOLIDWORKS
Modeling Solutions Partner

Hab lvl 2

SIZE

DWG. NO.

REV

A**TE-19118**

SCALE: 1:16


WEIGHT:

SHEET 4 OF 5

2


1

TE-19118-02



Note:
23/32" (3/4") A/C or CDX Plywood (6X R.13 added for router)

TE-19118-03



Note:
23/32" (3/4") A/C or CDX Plywood (6X R.13 added for router)


B

A

2


1

TE-19118-04




Note:
1/8" Hardboard

TE-19118-05



Note:
1/8" Hardboard

TE-19118-06




Note:
2"x 4" Lumber Pine

TE-19118-07



Note:
1" Hook Fastener

TE-19118-08



Note:
1" Loop Fastener

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **FIRST®**. Any REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **FIRST®** IS PROHIBITED.

NEXT ASSY

USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/16$
ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$
TWO PLACE DECIMAL $\pm .01$
THREE PLACE DECIMAL $\pm .001$

INTERPRET GEOMETRIC
TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

DRAWN

CHECKED

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:

NAME

DATE



FIRST
ROBOTICS
COMPETITION



Modeling Solutions Partner

TITLE:

Hab lvl 2

SIZE

A

DWG. NO.

TE-19118

REV

SCALE: 1:16 WEIGHT:

SHEET 5 OF 5

2

1