TE-22300 LOW AND MID RUNG ASSEMBLY



Description: This is a simplified HANGAR design that features the low and mid rungs for teams that are not interested in traversing.

FILES INCLUDED

In this compressed folder, you will find all the Drawings, CAD Files, and STEP Files for this design.

Drawings: For your convenience, all drawing files have been exported to PDF Format. Each major field assembly will have both assembly drawings and component drawings.

CAD Files: All SOLIDWORKS files required to build or modify the assembly.

STEP Files: STEP files of the assembly are included for the convenience of non-SOLIDWORKS users.

SHOPPING LIST

Shopping List:

Plywood and Lumber

- 4' x 8' x 1/2" Thick Plywood 1 Sheets
- 2" x 6" x 8' Long Lumber 4 Pieces

Hardware

- #8 Wood Screw x 1.5" Long approximately 40
- #8 Wood Screw x 2.5" Long approximately 20

<u>Other</u>

- 1-1/4" Schedule 40 Black Iron Pipe 8 feet
- 1-11/16" Spade Bit, Forstner Bit or Hole Saw (1-3/4" can be substituted but will leave a much looser fit and the bar will sit slightly lower than normal)

Notes about materials

- Plywood and Hardboard Sheets quality of plywood is up to the user. Plywood of lower qualities may contain voids and may warp more than high quality plywood. All dimensions listed are "nominal". For example ½" plywood is typically 15/32".
- Lumber quality of lumber is up to the user. Please keep in mind that lumber of lower qualities may warp more than high quality lumber. All dimensions below are the "mill cut" dimensions. For example, 2" x 4" lumber is really 1½" x 3½".